

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	650	waveguide near5 photodetector	USPAT; US-PGPUB
2	BRS	L2	230	multiple with mode with interference	USPAT; US-PGPUB
3	BRS	L3	2	1 and 2	USPAT; US-PGPUB
4	BRS	L4	10	multiple with mode with interference) same (cavity	USPAT; US-PGPUB
5	BRS	L5	1	1 and 4	USPAT; US-PGPUB
6	BRS	L6	2	4 and photodetector	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
1	2004/04/13 23:36			0
2	2004/04/13 23:38			0
3	2004/04/13 23:37			0
4	2004/04/13 23:38			0
5	2004/04/13 23:38			0
6	2004/04/13 23:39			0

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	257	multiple with mode with interference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	12	mmi with cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	0	waveguide near3 copuled near mmi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	0	1 and (waveguide near3 copuled)and detector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L6	6	1 and (array near3 detector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L5	59	1 and detector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	9	5 and waveguide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2004/04/13 23:06			0
2	2004/04/13 23:09			0
3	2004/04/13 23:10			0
4	2004/04/13 23:10			0
5	2004/04/13 23:11			0
6	2004/04/13 23:15			0
7	2004/04/13 23:15			0